



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com) Website: [www.wbcil.com](http://www.wbcil.com)

## Section 1 - Chemical Product and Company Identification

**1.1 MSDS Name:** Magnesium Gluconate Anhydrous

**1.2 Product Code:** MGAUS98

**1.3 Relevant identified uses of the substance or mixture and uses advised against:**

Laboratory chemicals, Industrial & for professional use only.

**1.4 Company Identification:**

WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

**Phone:** +91 33 4025 1700

**Fax:** +91 33 2574 7410

**Website:** [www.wbcil.com](http://www.wbcil.com)

**Email:** [wbcil@wbcil.com](mailto:wbcil@wbcil.com)

## Section 2 - Hazards Identification

**2.1 Classification of the Substance or Mixture:**

This substance is not classified as hazardous according to the Globally Harmonized System (GHS) or EU Regulation (EC) No 1272/2008 (CLP).

**2.2 Precautionary Statements:**

**Prevention:**

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves and eye protection if handling large amounts or powdered forms.

P261: Avoid inhaling dust.

**Response:**

P305 + P351 + P338: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P302 + P352: If on skin, wash with plenty of soap and water.

P301 + P330 + P312: If swallowed and feeling unwell, rinse mouth and call a doctor/physician if necessary.

**2.3 Potential Chronic Health Effects:**

2.3.1 Carcinogenic effects

Not available.

2.3.2 Mutagenic effects

Not available.

2.3.3 Teratogenic effects

Not available.

2.3.4 Developmental effects

Not available. Repeated or prolonged exposure is not known to aggravate medical condition.

**2.4 Other Hazards:**



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com)

Website: [www.wbcil.com](http://www.wbcil.com)

## Section 2 - Hazards Identification

Dust Formation:

Fine dust may cause mechanical irritation to the respiratory tract or eyes.

Environmental Hazards:

No significant environmental impact is expected under normal use.

## Section 3 - Composition / Information on Ingredients

**3.1 Ingredient Name:** Magnesium Gluconate

**3.2 Synonym:** Magnesium gluconate, D-Gluconic acid, magnesium salt (2:1), Magnesium D-gluconate (1:2)

**3.3 CAS Number:** 3632-91-5

**3.4 EC number:** 222-848-2

**3.5 % wt:** 100%

**3.6 Molecular Formula:**  $C_{12}H_{22}MgO_{14}$

**3.7 Molecular Wt.:** 414.60 g/mol

## Section 4 - First Aid Measures

**4.1 Description of first aid measures:**

4.1.1 Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.

4.1.2 Skin Contact:

Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.

4.1.3 Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

4.1.4 Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**4.2 Most important symptoms and effects, both acute and delayed:**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed:**

No data available

## Section 5 - Fire-Fighting Measures

**5.1 Flammability of the Product:**

May be combustible at high temperature.



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com)

Website: [www.wbcil.com](http://www.wbcil.com)

## Section 5 - Fire-Fighting Measures

### 5.2 Extinguishing media:

Suitable extinguishing media - Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

### 5.3 Auto-Ignition Temperature:

Not available.

### 5.4 Flash Points:

Closed cup: Higher than 93.3°C (200°F).

### 5.5 Flammable Limits:

These products are carbon oxides (CO, CO<sub>2</sub>), nitrogen oxides (NO, NO<sub>2</sub>...). Some metallic oxides.

### 5.6 Products of Combustion:

Slightly flammable to flammable in presence of heat. Non-flammable in presence of shocks.

### 5.7 Products of Decomposition:

Acetone and calcium carbonate

### 5.8 Fire Hazards:

Slightly explosive in presence of open flames and sparks. Non-explosive in presence of shocks.

### 5.9 Fire Fighting Media and Instructions:

#### 5.9.1 Small fire

Use DRY chemical powder.

#### 5.9.2 Large fire

Use water spray, fog or foam. Do not use water jet.

### 5.10 Special hazards arising from the substance or mixture:

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

### 5.11 Special Remarks on fire Hazards:

As with most organic solids, fire is possible at elevated temperatures

### 5.12 Special Remarks on explosion Hazards:

Fine dust dispersed in air in sufficient concentrations, and in the presences of an ignition source is a potential dust explosion hazard.

### 5.13 Advice for firefighters:

Use protection for the breathing apparatus. Safety helmet and full protective suit. The spray water can be used to protect the people involved in the extinction. You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...). Keep containers cool with water spray.

## Section 6 - Accidental Release Measures



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com)

Website: [www.wbcil.com](http://www.wbcil.com)

## Section 6 - Accidental Release Measures

### 6.1 Personal Protection:

Wear a self-contained breathing apparatus, rubber boots and gloves, and disposable coveralls. Dispose of coveralls after use. Keep unprotected persons away.

### 6.2 Environmental Protection:

Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.

### 6.3 Methods and material for containment and cleaning up:

The contaminated area should be immediately cleaned with an appropriate de-contaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

#### 6.3.1 For containment:

Follow established procedures.

#### 6.3.2 For cleaning up:

Follow established procedures.

#### Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose according to local and regional authority requirements. Large Spill: Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

### 6.4 Reference to other sections:

For exposure control and individual protection measures, see section 8. For later elimination of waste, follow the recommendations under section 13.

## Section 7 - Handling and Storage

**7.1 Precautions for safe handling:** Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources away.

**7.2 Conditions for safe storage, including any incompatibilities:** Store in a tightly closed container in a dry, well-ventilated place.

Storage class (TRGS 510): 13: Non-Combustible Solids

## Section 8 - Exposure Controls / Personal Protection

### 8.1 Engineering Controls:



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com) Website: [www.wbcil.com](http://www.wbcil.com)

## Section 8 - Exposure Controls / Personal Protection

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

### 8.2 Appropriate engineering controls:

General industrial hygiene practice.

### 8.3 Personal protective equipment:

#### 8.3.1 Eye/face protection:

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### 8.3.2 Skin protection:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### 8.3.3 Body Protection:

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### 8.3.4 Respiratory protection:

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### 8.4 Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist before handling this product. Exposure Limits: Not available.

### 8.5 Exposure Limits:

This material is a particulate matter and adequate inhalation/respiratory protection should be used to minimize exposure. No occupational exposure limits have been established. The exposure limits for Particulates Not Otherwise Regulated are applicable.

OSHA (PEL): 15 mg/m<sup>3</sup>

(TWA, total dust)

5 mg/m<sup>3</sup>

(TWA, respirable fraction)

NIOSH (REL): 15 mg/m<sup>3</sup>

(TWA, total dust)

5 mg/m<sup>3</sup>

(TWA, respirable fraction)



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com)

Website: [www.wbcil.com](http://www.wbcil.com)

## Section 9 - Physical and Chemical Properties

<b>Appearance Form</b>	: Crystalline or granular powder
<b>Color</b>	: White or almost white
<b>Odour</b>	: Characteristic
<b>Odour Threshold</b>	: No data available
<b>pH of 5 % w/v aqueous solution</b>	: 6.0 – 7.8
<b>Melting point/freezing point</b>	: 169.7 - 171.9°C / 337.5 - 341.4°F
<b>Initial boiling point and boiling range</b>	: 673°C
<b>Flash point</b>	: 100,00°C - closed cup
<b>Evaporation rate</b>	: No data available
<b>Flammability (solid, gas)</b>	: No data available
<b>Upper/lower flammability or explosive limits</b>	: No data available
<b>Sublimation Temperature</b>	: No data available
<b>Relative density</b>	: 1.5
<b>Vapour pressure</b>	: No data available
<b>Solubility</b>	: 9.6 g/L water (20°C)
<b>Vapour density</b>	: No data available
<b>Partition coefficient</b>	: n- octanol/water
<b>Auto-ignition temperature</b>	: >1200°C (2192°F)
<b>Decomposition temperature</b>	: 171°C/339.8°F
<b>Viscosity</b>	: No data available
<b>Explosive properties</b>	: No data available
<b>Oxidizing properties</b>	: No data available

## Section 10 - Stability and Reactivity

### 10.1 Reactivity:

No data available

### 10.2 Stability:

Stable under normal temperatures and pressures.

### 10.3 Incompatibility:

Strong oxidizing agents, Strong reducing agents.

### 10.4 Conditions to Avoid:

Heat, Flame, Sparks, other ignition sources

### 10.5 Incompatible materials:

Strong oxidizing agents

### 10.6 Hazardous decomposition products:

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Magnesium oxide

### 10.7 Corrosivity:

Non-corrosive in presence of glass.



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com)

Website: [www.wbcil.com](http://www.wbcil.com)

## Section 10 - Stability and Reactivity

### 10.8 Special Remarks on Reactivity:

Very hygroscopic.

### 10.9 Special Remarks on Corrosivity:

Not available.

### 10.10 Polymerization:

Will not occur.

## Section 11 - Toxicological Information

### 11.1 RTECS Reference:

Not Available

### 11.2 Routes of Entry:

Inhalation. Ingestion

### 11.3 Toxicity Data:

LD50 Intravenous - Mouse - 321 mg/kg

### 11.4 Carcinogenicity:

Not Available

### 11.5 Germ cell mutagenicity:

No data available

### 11.6 Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### 11.7 Reproductive toxicity:

No data available

### 11.8 Specific target organ toxicity - single exposure:

No data available

### 11.9 Specific target organ toxicity - repeated exposure:

No data available

### 11.10 Aspiration hazard:

No data available

### 11.11 Special Remarks on other Toxic Effects on Humans:

#### 11.11.1 Skin:

May cause skin irritation.

#### 11.11.2 Eyes:

Dust may cause eye irritation.

#### 11.11.3 Inhalation:

Dust may cause respiratory tract irritation.

#### 11.11.4 Ingestion:



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com)

Website: [www.wbcil.com](http://www.wbcil.com)

## Section 11 - Toxicological Information

May cause gastrointestinal (digestive) tract irritation. May affect brain.

## Section 12 - Ecological Information

**12.1 Toxicity:**

Not Available

**12.2 BOD5 and COD:**

Not available.

**12.3 Persistence and degradability:**

Not Available

**12.4 Bio-accumulative potential:**

Not Available

**12.5 Mobility in soil:**

Not Available

**12.6 PBT and vPvB assessment:**

Not Available

**12.7 Other adverse effects:**

Not Available

## Section 13 - Disposal Considerations

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

## Section 14 - Transport Information

**14.1 UN number:**

ADR/RID: - IMDG: - IATA

**14.2 UN proper shipping name:**

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA: Not dangerous goods

**14.3 Transport hazard class(es):**

ADR/RID: - IMDG: - IATA

**14.4 Packaging group:**

ADR/RID: - IMDG: - IATA

**14.5 Environmental hazards:**







WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com)

Website: [www.wbcil.com](http://www.wbcil.com)

ADR/RID: no IMDG Marine pollutant: no IATA: no

**14.6 D O T Classification:**

Not a DOT controlled material

**14.7 Air transport Goods:**

Nonhazardous/non-dangerous as per IATA DGR.

**14.8 Special Provision for Transport:**

Not applicable

**14.9 IATA Specification:**

Non-dangerous, non-hazardous

AS PER IATA REGULATION SAFE FOR CARRAGE, NONHAZARDOUS AND NON-RESTRICTED.

NO SPECIAL LABELLING OR TRANSPORT MEASURE HAVE BEEN IDENTIFIED.

THIS IS NOT REGULATED AS PER IATA REGULATION

## Section 15 - Regulatory Information

**United States:**

**Toxic Substance Control Act (TSCA):** Not listed

**CERCLA Sections 102a/103 (40 CFR 302.4):** Not regulated.

DSL/NDSL Complies

EINECS/ELINCS Complies

**ENCS This product complies with ENCS:**

**IECSC This product complies with China:**

KECL Complies

PICCS Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [webcil@wbcil.com](mailto:webcil@wbcil.com) Website: [www.wbcil.com](http://www.wbcil.com)

## Section 15 - Regulatory Information

**SARA 313:** Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act):** This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA:** This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material. US State Regulations

**California Proposition 65:** This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations:** This product does not contain any substances regulated under applicable state right-to-know regulations U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

**European Union:**

**European Inventory of Existing Chemical Substances (EINECS):** Not Available

**Hazard Codes:** Not Available

**Risk Statements:** Not Available

**Safety Statements:** Not Available

**Canada:**

**Canadian Domestic Substances List (DSL):** Not listed

**Canadian Non-Domestic Substances List (NDSL):** Not listed

## Section 16 - Other Information

**Disclaimer:** This material safety data sheet is provided as an information resource only. **WEST BENGAL CHEMICAL INDUSTRIES LIMITED** believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with federal, state, and local regulations.

Abbreviations and acronyms

**ADR:** European Agreement concerning the International Carriage of Dangerous Goods by Road

**ASTM:** ASTM International, originally known as American Society for Testing and Materials (ASTM)

**EINECS:** European Inventory of Existing Commercial Chemical Substances

**EC50:** Effective Concentration 50 (Maximum Effective Concentration for 0% of Individuals)

**LC50:** Lethal Concentration 50 (Lethal Concentration for 50% of Individuals)



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com)

Website: [www.wbcil.com](http://www.wbcil.com)

## Section 16 - Other Information

**IC50:** Inhibitor Concentration 50 (Inhibitory Concentration for 50% of Individuals)

**NOEL:** No Observed Effect Level (Maximum dose without effect)

**DNEL:** Derived No Effect Level (Derived no-effect dose)

**DMEL:** Derived Minimum Effect Level (Derived dose of minimal effect)

**CLP:** Classification, Labelling and Packaging

**CSR:** Chemical Safety Report

**LD50:** Lethal Dose 50 (Lethal Dose for 50% of Individuals)

**IATA:** International Air Transport Association

**ICAO:** International Civil Aviation Organization

**Codice IMDG:** International Maritime Dangerous Goods code

**PBT:** Persistent, bio-accumulative and toxic

**RID:** Regulations concerning the international rail transport of Dangerous Goods

**STEL:** Short term exposure limit

**TLV:** Threshold limit value

**TWA:** Time Weighted Average

**UE:** European Union

**vPvB:** Very persistent very bio-accumulative

**N.D.:** Unavailable

**N.A.:** Not applicable

**VwVwS.:** Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes

**Issue Date:** April, 2024

**Revision Date:** March, 2026

**Revision No.:** 01