

Section 1 - Chemical Product and Company Identification						
MSDS Name: Sodium Butyrate Feed Grade	• •					
Product Code: SOBFE95						
Synonyms: Butyric acid sodium salt	Synonyms: Butyric acid sodium salt					
Company Identification:						
WEST BENGAL CHEMICAL INDUSTRIES LIMITED						
145/1, Jessore Road, Lake Town,						
Kolkata – 700 089, India.						
Phone: +91 33 4025 1700	Fax: +91 33 2574 7410					
Website: <u>www.wbcil.com</u>	Email: webcil@wbcil.com					

Section 2 - Composition / Information on Ingredients								
Ingredient Name	CAS Number	% wt						
Sodium Butyrate Feed Grade	156-54-7	97-100						

Section 3 - Hazards Identification					
POTENTIAL ACUTE HEALTH EFFECTS	:	Causes serious eye irritation, slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.			
POTENTIAL CHRONIC HEALTH EFFECTS	:	Causes serious eye irritation, slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.			
CARCINOGENIC EFFECTS	:	No data available.			
MUTAGENIC EFFECTS	:	No data available.			
TERATOGENIC EFFECTS	:	No data available.			
DEVELOPMENTAL TOXICITY	:	No data available.			





WEST BENGAL CHEMICAL INDUSTRIES LIMITED 145/1, Jessore Road, Lake Town, Kolkata – 700 089, India. Phone: +9133 4025 1700 Fax: +9133 2574 7410 Email: <u>webcil@wbcil.com</u> Website: <u>www.wbcil.com</u>

Section 4 - First Aid Measures			
INHALATION	:	Move exposed person to fresh air. If not breathing, seek immediate medical attention. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel and seek medical attention.	
INGESTION	:	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Seek medical attention.	
SKIN CONTACT	•	Remove contaminated clothing and shoes and immediately flush skin with plenty of water for at least 15 minutes. Wash clothing before reuse. Clean shoes thoroughly before reuse. If irritation persists, seek medical attention.	
EYE CONTACT	:	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Seek immediate medical attention.	

Section 5 - Fire-Fighting Measures			
FLAMMABILITY OF THE	:	May be combustible at high temperature.	
PRODUCT			
AUTO IGNITION	:	Not available.	
TEMPERATURE			
FLASH POINTS		Not available.	
HAZARDOUS COMBUSTION	:	Carbon oxides (CO, CO2), Sodium oxides.	
PRODUCTS			
FIRE HAZARDS IN PRESENCE OF	:	Slightly flammable to inflammable in presence of heat. Non-	
VARIOUS SUBSTANCES		flammable in presence of shocks.	
EXPLOSION HAZARDS IN	:	Slightly explosive in presence of open flames and sparks. Non-	
PRESENCE OF VARIOUS		explosive in presence of shocks.	
SUBSTANCES			





Section 6 - Accidental Release Measures			
Small Spill	••	Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.	
Large Spill	••	Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow evacuating through the sanitary system.	

Section 7 - Handling and Storage		
PRECAUTIONS	:	Good ventilation required if process creates the formation of dust.
STORAGE	:	Store in tightly closed containers, away from extreme heat and humidity. Maximum 25°C and 50% relative humidity.

Section 8 - Exposure Controls / Personal Protection		
ENGINEERING CONTROLS	:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
PERSONAL PROTECTION	:	Safety glasses, Lab Coat, Dust respirator, Be sure to use an approved / certified respirator or equivalent, Gloves
PERSONAL PROTECTION IN CASE OF A LARGE SPILL	:	Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
EXPOSURE LIMITS	:	Consult local authorities for acceptable exposure limits.





Section 9 - Physical and Chemical Properties		
APPEARANCE FORM	:	White free flowing powder/ partially granules.
MOLECULAR FORMULA	:	Na3C6H5O7
VAPOR PRESSURE AT 35°C	:	No information found.
VAPOR DENSITY (AIR = 1)	:	No information found.
OODOUR	:	Characteristic
SOLUBILITY	:	Soluble in water.
Melting / Freezing Point	:	300°C
PH (1% w/v Solution)	:	7.0 - 11.0
Molecular Weight	:	258.07g/mole
9.2 Other safety information no data available		

Section 10 - Stability and Reactivity		
STABILITY	:	The product is stable at normal conditions.
HAZARDOUS	:	Does not occur
POLYMERIZATION		
INCOMPATABILITIES:	:	As a precautionary measure, keep away from strong oxidizers.
CORROSIVITY	:	Not available.





Section 11 - Toxicological Information		
Routes of Entry	:	Inhalation, Ingestion
Toxicity to Animals	:	LD50: Not available. LC50: Not available.
Chronic Effects on Humans	:	Not Available
Other Toxic Effects on Humans	:	Hazardous in case of skin contact (irritant), of ingestion, of inhalation
Special Remarks on Toxicity to Animals	:	Not Available
Special Remarks on Chronic Effects on Humans	:	Not Available
Special Remarks on other Toxic Effects on Humans	:	Not Available

Section 12 - Ecological Information		
ECOTOXICITY	•••	Ecotoxicity in water (LC50): 18000-32000 mg/l
BOD 5 and COD	:	Not Available
PRODUCTS of	•••	Possibly hazardous short term degradation products are not
BIODEGRADATION		likely. However, long term degradation products may arise.
TOXICITY OF THE PRODUCTS OF	•••	The Product itself and its products of degradation are not toxic.
BIODEGRADATION		
SPECIAL REMARKS ON THE	:	Not Available
PRODUCTS OF		
BIODEGRADATION.		





WEST BENGAL CHEMICAL INDUSTRIES LIMITED 145/1, Jessore Road, Lake Town, Kolkata – 700 089, India. Phone: +9133 4025 1700 Fax: +9133 2574 7410 Email: <u>webcil@wbcil.com</u> Website: <u>www.wbcil.com</u>

Section 13 - Disposal Considerations

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14 - Transport Information				
D O T Classification	:	Not a DOT controlled material.		
I A T A Classification		UN-No: Not Regulated. Non-dangerous		
	:	Proper Shipping Name: No information available.		
		Hazard Class: No information available.		
		Subsidiary Risk: No information available.		
		Packing Group: No information available.		
		Description: No information available.		
Identification	:	Not applicable.		
Special Provision for Transport	:	Not applicable		

Section 15 - Regulatory Information				
FEDERAL AND STATE REGULATION	:	No products were found.		
OTHER REGULATION	:	Not available.		
WHMIS (Canada)	:	Not controlled under WHMIS (Canada).		
DSCL (EEC)	:	This product is not controlled under the EU Regulations.		
PROTECTIVE EQUIPMENT	:	Gloves. Lab coat. Dust respirator. Be sure to use an approved /certified respirator or equivalent. Splash goggles.		





WEST BENGAL CHEMICAL INDUSTRIES LIMITED 145/1, Jessore Road, Lake Town, Kolkata – 700 089, India. Phone: +9133 4025 1700 Fax: +9133 2574 7410 Email: <u>webcil@wbcil.com</u> Website: <u>www.wbcil.com</u>

Section 16 - Other Information					
Disclaimer:	This material safety data sheet is provided as an in WEST BENGAL CHEMICAL INDUSTRIES LIMITED contained herein is accurate and compiled from responsibility of the user to verify its validity responsibility of using and handling the product in state, and local regulations.	believes the information reliable sources. It is the y. The buyer assumes all			
Issue Date: February, 2024					
Revision Date: January, 2026 Revision No.		Revision No.: 03			

