



### Section 1 - Chemical Product and Company Identification

1.1 MSDS Name: Zinc Acetate Dihydrate

1.2 Product Code: ZAD9600

1.3 Company Identification:

WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town, Kolkata – 700 089, India.

Phone: +91 33 4025 1700

Fax: +91 33 2574 7410

Website: [www.wbcil.com](http://www.wbcil.com)

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com)

Emergency Telephone No.: +91 9874356081

### Section 3 - Composition / Information on Ingredients

Chemical Name : Zinc Acetate Dihydrate

Molecular Formula :  $C_4H_6O_4Zn \cdot 2H_2O$

Molecular Weight : 219,51 g/mol

CAS Number : 5970-45-6

EC Number : 209-170-2

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
-----------	----------------	---------------

CAS-No.	5970-45-6	Acute Tox. 4; Eye Irrit. 2;	<= 100 %
---------	-----------	-----------------------------	----------

Aquatic Acute 1; Aquatic

Chronic 1; H302, H319, H410

EC-No.	209-170-2	Xn, N, R22 - R36 - R50/53	<= 100 %
--------	-----------	---------------------------	----------

Hazardous ingredients as per Directive 1999/45/EC

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

### Section 2 - Hazards Identification

section 2: **H302 (98.7%)**: Harmful if swallowed  
[Warning Acute toxicity, oral]

**H315 (20.45%)**: Causes skin irritation [Warning  
Skin corrosion/irritation]

**H318 (37.34%)**: Causes serious eye damage  
[Danger Serious eye damage/eye irritation]



Signal: Danger





## Section 2 - Hazards Identification

**H319 (35.71%):** Causes serious eye irritation  
[Warning Serious eye damage/eye irritation]  
**H400 (33.44%):** Very toxic to aquatic life  
[Warning Hazardous to the aquatic environment,  
acute hazard]  
**H410 (41.56%):** Very toxic to aquatic life with  
long lasting effects [Warning Hazardous to the  
aquatic environment, long-term hazard]  
**H411 (37.01%):** Toxic to aquatic life with long  
lasting effects [Hazardous to the aquatic  
environment, long-term hazard]  
**Acute Tox. 4** (98.7%)  
**Skin Irrit. 2** (20.45%)  
**Eye Dam. 1** (37.34%)  
**Eye Irrit. 2** (35.71%)  
**Aquatic Acute 1** (33.44%)  
**Aquatic Chronic 1** (41.56%)  
**Aquatic Chronic 2** (37.01%)  
**Acute toxicity** - category 4  
**Eye damage** - category 1  
**P264:** Wash hands [and ...] thoroughly after  
handling.  
**P270:** Do not eat, drink or smoke when using this  
product.  
**P273:** Avoid release to the environment.  
**P280:** Wear protective gloves/protective  
clothing/eye protection/face protection/hearing  
protection  
**P302+P352:** IF ON SKIN: wash with plenty of  
water  
**P305+P351+P338:** IF IN EYES: Rinse cautiously  
with water for several minutes. Remove contact  
lenses if present and easy to do - continue  
rinsing.  
**P321:** Specific treatment  
**P330:** Rinse mouth.  
**P391:** Collect spillage.  
**P264+P265:** Wash hands thoroughly after  
handling. Do not touch eyes.



NFPA SCALE (0-4)

Health	2
Flammability	0
Physical Hazard	0

HMIS RATINGS (0-4)





## Section 2 - Hazards Identification

**P301+P317:** IF SWALLOWED: Get medical help.

**P317:** Get emergency medical help.

**P305+P354+P338:** IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

**P332+P317:** If skin irritation occurs: Get medical help.

**P337+P317:** If eye irritation persists: Get medical help.

**P362+P364:** Take off contaminated clothing and wash it before reuse.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2)

and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## Section 5 - Fire-Fighting Measures

### 5.1 Extinguishing media





## Section 5 - Fire-Fighting Measures

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Zinc/zinc oxides

### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

### 5.4 Further information

no data available

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in dry place. Keep container tightly closed in a dry and well-ventilated place.

## Section 8 - Exposure Controls / Personal Protection

### 8.1 Control parameters

Components with workplace control parameters

### 8.2 Exposure controls





WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com)

Website: [www.wbcil.com](http://www.wbcil.com)

## Section 8 - Exposure Controls / Personal Protection

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday

Personal protective equipment

### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (Without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### Body Protection

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges.

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## Section 9 - Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance Form	: Crystalline or Granules
Color	: White
Odour	: Slight acetous Odour
pH (5% w/v)	: 6.0 – 8.0





### Section 9 - Physical and Chemical Properties

Melting point/freezing point	: 237 °C at 1.013 hPa e
Boiling point	: 258.2°C at 1.013 hPa
Initial boiling point and boiling range	: no data available
Particle size distribution	: 0.000876 Pa at 25°C
Sublimation Temperature	: no data available
Density	: no data available
Vapour pressure	: 0.001 Pa at 25°C
Vapour density	: no data available
Refractive density at 20°C	: 1.735 g/cm <sup>3</sup>
Water solubility	: 434.78 g/L at 25°C
Decomposition temperature	: 100 °C Elimination of water of crystal
Viscosity	: no data available
Auto-ignition temperature	: >410°C (ECHA)
Partition coefficient n-octanol/water (log value)	: -1.28 (ECHA)
<b>9.2 Other safety information</b>	
no data available	

### Section 10 - Stability and Reactivity

<b>10.1 Reactivity</b>	no data available
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	no data available
<b>10.4 Conditions to avoid</b>	no data available
<b>10.5 Incompatible materials</b>	Oxidizing agents
<b>10.6 Hazardous decomposition products</b>	Other decomposition products - no data available
In the event of fire: see section 5	

### Section 11 - Toxicological Information

<b>11.1 Information on toxicological effects</b>	
<b>Acute toxicity</b>	





## Section 11 - Toxicological Information

LD50 Oral - rat - 794 mg/kg

**Remarks:** Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):

**Eye:** Miosis (pupillary constriction).

**Vascular:** BP elevation not characterized in autonomic section.

**Nutritional and Gross Metabolic:** Weight loss or decreased weight gain.

### Skin corrosion/irritation

**Skin** – rabbit

**Result:** Mild skin irritation - 24 h

### Serious eye damage/eye irritation

**Eyes** - rabbit

**Result:** Moderate eye irritation - 24 h

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

Human lymphocyte Cytogenetic analysis

### Carcinogenicity

**IARC:** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

no data available

### Specific target organ toxicity - single exposure

no data available

### Specific target organ toxicity - repeated exposure

no data available

### Aspiration hazard

no data available

**Acute toxicity:** LD50 : 663.83-2460 mg/kg (rat, oral)

239.95 mg/kg (mice,oral).

LC50 for 6.49-58.04 mg/L (inhalation)

LD50 42 mg/kg bw (adult mice, other routes)

97.8-99.6 mg/kg bw (juvenile mice, other routes).

## Section 12 - Ecological Information

### 12.1 Toxicity

Toxicity to fish LC50– 2.46mg/L.

### 12.2 Persistence and degradability







## Section 12 - Ecological Information

no data available

### 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

#### Toxicity to daphnia and other aquatic invertebrates

EC50: Daphnia magna (Water flea) - 3,72 mg/l - 48 h

48h-LC50 of zinc acetate in Brown mussel (*Perna indica*) was 6.38 mg/L.

8h-NOEC of zinc acetate in Tetrahymena was 91.74 mg/L.

Toxicity to algae static test EC50 - algae - 2,1 mg/l - 72 h

EC0 for *Clostridium* sp. is equal or greater than 4.8 µmol/L

#### Biodegradability aerobic - Exposure time 28 d

Result: 99 % - Readily biodegradable.

(OECD Test Guideline 301A)

Remarks: (anhydrous substance)

## Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

## Section 14 - Transport Information

### 14.1 UN number

ADR/RID : 3077

IMDG : 3077

IATA : 3077

### 14.2 UN proper shipping name







### Section 14 - Transport Information

ADR/RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
SUBSTANCE IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
HAZARDOUS SUBSTANCE	:	Environmentally hazardous substance, solid, n.o.s. (Zinc di(acetate))
IATA	:	
<b>14.3 Transport hazard class(es)</b>		
ADR/RID	:	9
IMDG	:	9
IATA	:	9
<b>Packaging group</b>		
ADR/RID	:	III
IMDG	:	III
IATA	:	III
<b>14.5 Environmental hazards</b>		
ADR/RID	:	Yes
IMDG	:	Marine pollutant: Yes
IATA	:	Yes
<b>4.6 Special precautions for user</b>		
no data available		

### Section 15 - Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### Section 16 - Other Information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Acute aquatic toxicity
Aquatic Chronic	:	Chronic aquatic
toxicity Eye Irrit.	:	Eye irritation
H302	:	Harmful if swallowed.
H319	:	Causes serious eye irritation.
H400	:	Very toxic to aquatic life.

Full text of R-phrases referred to under sections 2 and 3





WEST BENGAL CHEMICAL INDUSTRIES LIMITED  
145/1, Jessore Road, Lake Town,  
Kolkata – 700 089, India.  
Phone: +9133 4025 1700 Fax: +9133 2574 7410  
Email: [wbcil@wbcil.com](mailto:wbcil@wbcil.com) Website: [www.wbcil.com](http://www.wbcil.com)

### Section 16 - Other Information

<b>N</b>	: Dangerous for the environment
<b>Xn</b>	: Harmful
<b>R22</b>	: Harmful if swallowed.
<b>R36</b>	: Irritating to eyes.
<b>R50/53</b>	: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b>Disclaimer</b>	: This material safety data sheet is provided as an information resource only. WEST BENGAL CHEMICAL INDUSTRIES LIMITED believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with federal, state, and local regulations.

Issue Date: November, 2022

Revision Date: October, 2024

Revision No.: 03

