



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: webcil@wbcil.com

Website: www.wbcil.com

Section 1: Chemical Product and Company Identification

1.1 Product Name: Calcium Liposomal

1.2 Product Code: CALLI30

1.3 Relevant identified uses of the substance or mixture and uses advised against:

Industrial

1.4 Contact Information:

WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town, Kolkata – 700 089, India.

Phone: +91 33 4025 1700 Fax: +91 33 2574 7410

Website: www.wbcil.com Email: webcil@wbcil.com

Section 2: Hazards Identification

2.1 Classification According to GHS:

2.1.1 Health Hazards:

- Eye irritation (Category 2)

2.2 Signal Word:

Warning

2.3 Hazard Statements:

- H319: Causes serious eye irritation.
- H316: Causes mild skin irritation.
- H373: May cause damage to kidneys through prolonged or repeated exposure.

2.4 Precautionary Statements:

- P264: Wash hands and exposed areas thoroughly after handling.
- P280: Wear protective gloves, clothing, and eye protection.
- P305 + P351 + P338: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.



Section 2: Hazards Identification

2.5 Potential Acute Health Effects:

2.5.1 Hazardous in case of eye contact (irritant).

2.5.2 Slightly hazardous in case of skin contact(irritant), of ingestion, of inhalation.

2.6 Potential Chronic Health Effects:

2.6.1 Carcinogenic effects:

Not available.

2.6.2 Mutagenic effects:

Not available.


2.6.3 Teratogenic effects:

Not available.

2.6.4 Developmental toxicity:

Not available. The substance may be toxic to kidneys. Repeated or prolonged exposure to the substance can produce target organs damage.

2.7 NFPA Rating:



NFPA SCALE (0-4)

2.8 HMIS Rating:



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: webcil@wbcil.com

Website: www.wbcil.com

Health	1
Flammability	1
Physical Hazard	0
Personal protection	E

HMIS Ratings (0-4)

Section 3: Composition and Information On Ingredients

3.1 Name: Calcium Liposomal

3.2 CAS Number: 1305-62-0

3.3 % by Weight: 100

Section 4: First Aid Measures

4.1 Description of First Aid Measures:

4.1.1 Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. WARM water MUST be used. Get medical attention.

4.1.2 Skin Contact:

Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.

Serious Skin Contact: Not available.

4.1.3 Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

4.1.4 Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: wbcil@wbcil.com

Website: www.wbcil.com

Section 4: First Aid Measures

Serious Ingestion: Not available.

4.2 Most important symptoms and effects, both acute and delayed:

Acute: Irritation of skin, eyes, and respiratory tract.

Chronic: Possible kidney damage with prolonged exposure.

4.3 Indication of any immediate medical attention and special treatment needed:

Treat symptomatically

Section 5: Fire and Explosion Data

5.1 Suitable Extinguishing Media:

Use water spray, foam, dry chemical, or carbon dioxide.

5.2 Flammability of the Product:

Non-flammable.

5.3 Auto-Ignition Temperature:

Not applicable.

5.4 Flash Points:

Not applicable.

5.5 Flammable Limits:

Not applicable.

5.6 Products of Combustion:

Not available.

5.7 Fire Hazards in Presence of Various Substances:

Not applicable.

5.8 Explosion Hazards in Presence of Various Substances:

5.8.1 Risks of explosion of the product in presence of mechanical impact:

Not available.

5.8.2 Risks of explosion of the product in presence of static discharge:

Not available.

5.9 Fire Fighting Media and Instructions:

Not applicable.

5.10 Special Remarks on Fire Hazards:

Will ignite and burn fiercely in contact with fluorine

5.11 Specific Hazards Arising from the Chemical:



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: webcil@wbcil.com

Website: www.wbcil.com

Section 5: Fire and Explosion Data

Product is non-flammable. May ignite and burn fiercely in contact with fluorine.

5.12 Protective Actions for Firefighters:

Use self-contained breathing apparatus (SCBA). Avoid inhalation of combustion products.

5.13 Special Remarks on Explosion Hazards:

When a mixture of calcium carbonate and magnesium is heated in a current of hydrogen, a violent explosion occurs.

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures:

Use appropriate PPE (gloves, goggles, dust respirator). Avoid dust formation.

6.2 Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Do not allow the product to enter drains or watercourses.

6.3 Methods and materials for containment and cleaning up:

6.3.1 Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

6.3.2 Large Spill:

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: webcil@wbcil.com

Website: www.wbcil.com

7.1 Precautions:

Do not ingest. Do not breathe dust. Avoid contact with eyes. Wear suitable protective clothing.

If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids.

7.2 Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area.

Hygroscopic.

Section 8: Exposure Controls/Personal Protection

8.1 Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

8.2 Personal Protection:

Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

8.3 Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist before handling this product.

8.4 Exposure Limits:

TWA: 10 (mg/m³) from ACGIH (TLV) [United States] Inhalation Total.

TWA: 10 STEL: 20 (mg/m³) [Canada] Inhalation Total.

TWA: 5 (mg/m³) from OSHA (PEL) [United States] Inhalation Respirable.

TWA: 15 from OSHA (PEL) [United States] Inhalation Total. Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance:	White to off-white powder
Odor:	Characteristic Odour.
Color:	White to off-white
Boiling Point:	Not available.
Melting Point:	>580°C



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: wbcil@wbcil.com

Website: www.wbcil.com

pH (in water):	12.4
Critical Temperature:	Not available.
Vapor Pressure:	Not applicable.
Vapor Density:	Not available.
Volatility:	Not available.
Odor Threshold:	Not available.
Water/Oil Dist. Coeff.:	Not available.
Ionicity (in Water):	Not available.
Dispersion Properties:	Not available.

Section 10: Stability and Reactivity

10.1 Stability:

The product is stable.

10.2 Reactivity:

No data available

10.3 Instability Temperature:

Not available.

10.4 Conditions of Instability:

Incompatible Materials

10.5 Incompatibility with various substances:

Reactive with oxidizing agents, acids.

10.6 Corrosivity:

Non-corrosive in presence of glass.

10.7 Special Remarks on Reactivity:

Hygroscopic. Will ignite and burn fiercely in contact with fluorine. Incompatible with acids, alum, ammonium salts, mercury + hydrogen, aluminum and magnesium.

10.8 Special Remarks on Corrosivity:

Not available.

10.9 Polymerization:

Will not occur.

Section 11: Toxicological Information

11.1 Routes of Entry:

Inhalation. Ingestion.



Section 11: Toxicological Information

11.2 Toxicity to Animals:

Acute oral toxicity (LD50): 6450 mg/kg [Rat].

11.3 Chronic Effects on Humans:

May cause damage to the following organs: kidneys.

11.4 Other Toxic Effects on Humans:

Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.

11.5 Special Remarks on Toxicity to Animals:

Not available.

11.6 Special Remarks on Chronic Effects on Humans:

Not available.

11.7 Special Remarks on other Toxic Effects on Humans:

11.8 Acute Potential Health Effects:

11.8.1 Skin: Causes skin irritation.

11.8.2 Eyes: Dust causes eye irritation.

11.8.3 Inhalation: Excessive inhalation causes respiratory tract and mucous membrane irritation. Low hazard for usual industrial handling.

11.8.4 Ingestion: Ingestion of large amounts may cause gastrointestinal tract disturbances with nausea and possibly constipation. Expected to be a low hazard for usual industrial handling.

11.9 Chronic Potential Health Effects:

Chronic ingestion may affect kidneys, and may cause hypercalcemia with alkalosis.

Section 12: Ecological Information

12.1 Ecotoxicity:

Not available.

12.2 BOD5 and COD:

Not available.

12.3 Products of Biodegradation:

Possibly hazardous short-term degradation products are not likely. However, long term degradation products may arise.

12.3.1 Toxicity of the Products of Biodegradation:

The product itself and its products of degradation are not toxic.

12.3.2 Special Remarks on the Products of Biodegradation:



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: webcil@wbcil.com

Website: www.wbcil.com

Not available.

Section 13: Disposal Considerations

Waste Disposal: Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

14.1 UN Number: Not applicable

14.2 IATA Classification: Non-hazardous

14.3 D O T Classification: Not a DOT controlled material

14.4 Air transport Goods: Nonhazardous/non-dangerous as per IATA DGR.

14.5 Special Provision for Transport: Not applicable

14.6 DOT (Pictograms)

AS PER IATA REGULATION SAFE FOR CARRAGE,
NONHAZARDOUS AND NON-RESTRICTED.
NO SPECIAL LABELLING OR TRANSPORT MEASURE
HAVE BEEN IDENTIFIED. THIS IS NOT REGULATED
AS PER IATA REGULATION



Section 15: Other Regulatory Information

Federal and State Regulations: TSCA 8(b) inventory: Calcium Liposomal

Other Regulations: EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

DSCL (EEC): R36- Irritating to eyes. S2- Keep out of the reach of children. S46- If swallowed, seek medical advice immediately and show this container or label.

HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 0

Reactivity: 0

Personal Protection: E



WEST BENGAL CHEMICAL INDUSTRIES LIMITED

145/1, Jessore Road, Lake Town,

Kolkata – 700 089, India.

Phone: +9133 4025 1700 Fax: +9133 2574 7410

Email: wbcil@wbcil.com

Website: www.wbcil.com

Section 15: Other Regulatory Information

National Fire Protection Association (U.S.A.):

Health: 1

Flammability: 0

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Splash goggles.

Section 16: Other Information

Disclaimer:
only.

This material safety data sheet is provided as an information resource

WEST BENGAL CHEMICAL INDUSTRIES LIMITED believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with federal, state, and local regulations.

Issue Date: Jan, 2025

Revision Date: Dec, 2026

Revision No.: 01